

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES
Cotton Quality Report



CLASSINGS THROUGH FEBRUARY 1, 2001

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	29	636	3,951	16,179	70,549	188,846	326,146	391,532	997,868
	3	23	586	3,978	14,173	36,706	86,664	159,292	213,699	515,121
	4	4	146	923	3,522	7,440	13,352	19,645	22,228	67,260
	5	-	12	136	419	944	1,701	1,964	1,887	7,063
	6	-	-	14	16	72	108	161	169	540
	7	-	-	1	1	2	-	9	15	28
	TOTAL----	56	1,380	9,003	34,310	115,713	290,671	507,217	629,530	1,587,880
31	1-2	10	172	946	2,996	18,226	83,682	201,835	280,519	588,386
	3	49	824	4,295	13,269	42,346	180,850	535,570	897,436	1,674,639
	4	61	592	2,675	8,105	19,215	48,520	126,378	214,683	420,229
	5	2	89	495	1,549	3,798	7,616	12,887	17,062	43,498
	6	-	4	39	135	312	773	1,324	1,622	4,209
	7	-	-	-	6	9	50	92	97	254
	TOTAL----	122	1,681	8,450	26,060	83,906	321,491	878,086	1,411,419	2,731,215
41	1-2	-	19	144	739	7,114	38,438	99,373	142,976	288,803
	3	7	208	1,632	7,125	31,679	143,924	445,574	821,548	1,451,697
	4	10	208	1,735	8,822	30,215	84,138	183,574	298,727	607,429
	5	-	57	693	3,854	12,862	30,843	44,870	44,284	137,463
	6	3	11	97	475	1,838	5,157	7,394	7,110	22,085
	7	-	-	10	17	111	363	396	410	1,307
	TOTAL----	20	503	4,311	21,032	83,819	302,863	781,181	1,315,055	2,508,784
51	1-2	-	-	5	58	670	3,037	7,857	10,442	22,069
	3	1	5	37	239	2,507	15,370	50,178	91,195	159,532
	4	-	3	25	196	1,368	8,524	24,943	45,550	80,609
	5	-	2	26	95	634	2,986	7,126	9,500	20,369
	6	-	-	4	37	185	822	1,877	2,434	5,359
	7	-	-	2	2	37	77	176	335	629
	TOTAL----	1	10	99	627	5,401	30,816	92,157	159,456	288,567
61	1-2	-	-	1	10	24	94	200	361	690
	3	-	1	1	13	122	524	977	1,342	2,980
	4	-	-	2	4	83	370	780	997	2,236
	5	-	-	1	2	8	83	203	306	603
	6	-	-	-	-	7	24	45	54	130
	7	-	-	-	-	4	1	10	15	30
	TOTAL----	-	1	5	29	248	1,096	2,215	3,075	6,669
71	1-2	-	-	2	-	6	22	26	16	72
	3	-	1	-	-	9	43	41	33	127
	4	-	1	2	-	10	22	29	15	79
	5	-	-	-	-	3	2	9	7	21
	6	-	-	-	-	-	1	1	2	4
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	2	4	-	28	90	106	73	303
12 & 22	1-2	36	571	1,884	5,661	14,829	28,425	34,930	29,901	116,237
	3	75	744	2,701	6,473	12,751	20,221	26,336	25,557	94,858
	4	18	177	570	1,461	2,745	3,272	4,509	5,031	17,783
	5	-	18	97	293	413	474	433	387	2,115
	6	-	1	3	19	28	54	38	32	175
	7	-	-	-	-	-	-	3	2	5
	TOTAL----	129	1,511	5,255	13,907	30,766	52,446	66,249	60,910	231,173
32	1-2	56	640	2,399	4,708	10,304	20,762	28,671	27,958	95,498
	3	327	3,265	12,462	24,288	39,714	61,010	78,201	77,805	297,072
	4	174	1,539	5,755	11,727	16,931	21,136	23,169	23,027	103,458
	5	20	191	674	1,480	2,444	3,370	3,087	2,290	13,556
	6	2	5	42	97	144	313	326	254	1,183
	7	-	-	3	3	3	17	22	35	83
	TOTAL----	579	5,640	21,335	42,303	69,540	106,608	133,476	131,369	510,850
42	1-2	16	183	730	1,777	6,467	18,450	31,035	32,029	90,687
	3	113	1,831	8,497	23,833	52,319	109,402	181,187	205,855	583,037
	4	85	1,782	9,703	26,610	49,350	78,310	102,602	103,703	372,145
	5	35	399	2,395	6,685	12,827	19,526	20,276	13,462	75,605
	6	13	55	236	541	1,307	2,009	2,195	1,562	7,918
	7	3	1	34	31	68	87	112	80	416
	TOTAL----	265	4,251	21,595	59,477	122,338	227,784	337,407	356,691	1,129,808
52	1-2	1	41	94	303	1,012	2,899	5,246	5,621	15,217
	3	28	353	792	1,847	5,607	18,890	37,930	41,597	107,044
	4	10	183	903	2,339	4,712	11,504	25,284	30,268	75,203
	5	13	74	342	1,196	2,650	4,548	6,567	6,512	21,902
	6	2	12	79	338	763	1,338	1,528	1,089	5,149
	7	-	1	5	39	50	149	182	109	535
	TOTAL----	54	664	2,215	6,062	14,794	39,328	76,737	85,196	225,050

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	1	9	63	94	220	489	870	1,746
	3	1	14	35	99	249	644	958	1,034	3,034
	4	-	5	18	79	122	421	771	710	2,126
	5	1	1	6	6	41	113	294	309	771
	6	1	-	-	3	6	31	62	96	199
	7	-	-	-	-	5	12	3	16	36
	TOTAL---	3	21	68	250	517	1,441	2,577	3,035	7,912
13 & 23	1-2	14	90	195	490	848	1,250	1,371	774	5,032
	3	12	58	343	698	1,013	1,380	1,399	1,059	5,962
	4	-	9	64	180	232	283	302	355	1,425
	5	-	-	6	34	37	32	38	49	196
	6	-	-	2	3	3	1	1	7	17
	7	-	-	-	-	-	-	-	-	-
	TOTAL---	26	157	610	1,405	2,133	2,946	3,111	2,244	12,632
33	1-2	22	163	356	544	667	814	835	817	4,218
	3	83	522	1,492	2,595	3,027	3,037	2,716	2,530	16,002
	4	23	147	499	887	1,064	1,190	1,115	1,269	6,194
	5	4	17	74	108	154	206	216	275	1,054
	6	-	-	5	13	21	27	10	36	112
	7	-	-	1	3	1	11	4	2	22
	TOTAL---	132	849	2,427	4,150	4,934	5,285	4,896	4,929	27,602
43	1-2	44	159	443	821	1,066	1,025	976	781	5,315
	3	96	923	3,104	6,007	7,478	7,386	7,036	6,329	38,359
	4	73	734	2,421	4,136	4,716	4,380	4,026	3,704	24,190
	5	29	170	429	913	1,176	976	661	583	4,937
	6	-	32	28	67	153	130	101	82	593
	7	1	5	5	-	18	14	10	5	58
	TOTAL---	243	2,023	6,430	11,944	14,607	13,911	12,810	11,484	73,452
53	1-2	29	156	284	555	650	691	688	317	3,370
	3	98	623	1,306	2,185	3,188	3,479	3,984	3,038	17,901
	4	16	252	702	1,379	1,615	1,902	2,399	2,106	10,371
	5	3	58	208	558	706	604	593	492	3,222
	6	2	14	28	94	168	220	166	98	790
	7	-	5	2	8	18	21	24	13	91
	TOTAL---	148	1,108	2,530	4,779	6,345	6,917	7,854	6,064	35,745
63	1-2	6	35	32	88	127	182	166	118	754
	3	1	69	221	433	423	502	424	231	2,304
	4	1	37	102	187	185	194	159	146	1,011
	5	2	3	16	32	50	68	64	52	287
	6	-	1	5	4	6	14	14	24	68
	7	-	-	1	-	3	1	3	7	15
	TOTAL---	10	145	377	744	794	961	830	578	4,439
24-54	1-7	11	138	283	559	677	880	1,202	1,359	5,109
25-35	1-7	-	-	-	-	1	7	5	2	15
81-85 1/	1-7	9	74	122	213	266	368	343	242	1,637
	8 2/	1	9	31	52	74	143	246	233	789
TOTAL, ALL---		1,809	20,167	85,150	227,903	556,901	1,406,052	2,908,705	4,182,944	9,389,631

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE							
COLOR		35	36	37	38	39	40 &+	35 to 40+	TOTAL
11 & 21		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	1-2	401,885	382,148	255,858	50,666	8,738	716	1,100,011	2,097,879
	3	222,373	228,542	208,834	43,687	8,887	1,607	713,930	1,229,051
	4	18,360	13,261	11,801	2,989	629	92	47,132	114,392
	5	1,000	406	287	98	53	8	1,852	8,915
	6	92	11	3	2	-	-	108	648
	7	6	-	-	-	1	-	7	35
TOTAL----		643,716	624,368	476,783	97,442	18,308	2,423	1,863,040	3,450,920
31	1-2	223,732	108,715	45,719	6,930	830	27	385,953	974,339
	3	856,303	454,706	201,928	33,357	3,831	260	1,550,385	3,225,024
	4	217,193	117,587	48,545	8,396	1,490	90	393,301	813,530
	5	12,633	5,282	2,093	678	232	15	20,933	64,431
	6	1,051	293	111	19	5	4	1,483	5,692
	7	45	14	4	2	-	-	65	319
TOTAL----		1,310,957	686,597	298,400	49,382	6,388	396	2,352,120	5,083,335
41	1-2	96,425	37,529	12,169	1,009	60	1	147,193	435,996
	3	730,229	331,350	100,050	10,124	944	82	1,172,779	2,624,476
	4	303,319	170,418	61,103	7,350	908	43	543,141	1,150,570
	5	29,327	14,530	6,264	1,456	284	15	51,876	189,339
	6	3,274	1,222	534	194	44	5	5,273	27,358
	7	186	91	60	23	4	2	366	1,673
TOTAL----		1,162,760	555,140	180,180	20,156	2,244	148	1,920,628	4,429,412
51	1-2	5,983	2,031	452	31	1	-	8,498	30,567
	3	76,419	30,603	7,192	424	24	9	114,671	274,203
	4	43,050	20,103	5,724	418	693	3,854	73,842	154,451
	5	6,621	3,467	1,247	130	14	2	11,481	31,850
	6	1,240	408	122	14	2	-	1,786	7,145
	7	140	32	22	1	-	-	195	824
TOTAL----		133,453	56,644	14,759	1,018	78	24	205,976	494,543
61	1-2	356	143	55	14	-	-	568	1,258
	3	1,351	700	240	19	-	-	2,310	5,290
	4	900	507	156	20	-	-	1,583	3,819
	5	277	160	48	3	-	-	488	1,091
	6	99	35	13	-	-	-	147	277
	7	9	3	-	-	-	-	12	42
TOTAL----		2,992	1,548	512	56	-	-	5,108	11,777
71	1-2	12	11	2	2	-	-	27	99
	3	16	15	10	3	1	-	45	172
	4	6	10	2	-	-	-	18	97
	5	7	1	1	1	-	-	10	31
	6	-	-	-	-	-	-	-	4
	7	-	-	-	-	-	-	-	-
TOTAL----		41	37	15	6	1	-	100	403
12 & 22	1-2	16,240	7,184	3,032	798	228	68	27,550	143,787
	3	14,173	6,483	4,144	1,162	268	76	26,306	121,164
	4	3,180	1,335	650	324	61	4	5,554	23,337
	5	224	114	34	16	5	-	393	2,508
	6	14	10	2	-	-	-	26	201
	7	-	-	1	-	-	-	1	6
TOTAL----		33,831	15,126	7,863	2,300	562	148	59,830	291,003
32	1-2	13,450	3,000	1,225	286	70	27	18,058	113,556
	3	46,058	13,632	4,724	1,182	213	46	65,855	362,927
	4	16,071	6,124	1,785	486	62	9	24,537	127,995
	5	1,623	620	231	42	8	5	2,529	16,085
	6	166	102	25	2	2	1	298	1,481
	7	23	23	5	-	-	-	51	134
TOTAL----		77,391	23,501	7,995	1,998	355	88	111,328	622,178
42	1-2	14,602	2,427	332	51	22	11	17,445	108,132
	3	116,896	28,004	3,270	314	60	62	148,606	731,643
	4	70,015	22,167	3,109	252	19	16	95,578	467,723
	5	7,446	2,749	460	74	7	3	10,739	86,344
	6	767	257	78	21	3	7	1,133	9,051
	7	56	46	23	7	1	2	135	551
TOTAL----		209,782	55,650	7,272	719	112	101	273,636	1,403,444
52	1-2	1,898	322	31	4	-	2	2,257	17,474
	3	21,280	4,781	502	34	8	2	26,607	133,651
	4	19,492	5,570	751	26	1	1	25,841	101,044
	5	4,053	1,478	222	9	-	-	5,762	27,664
	6	504	190	39	2	-	-	735	5,884
	7	39	10	8	3	-	-	60	595
TOTAL----		47,266	12,351	1,553	78	9	5	61,262	286,312

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	778	213	31	-	1	-	1,023	2,769
	3	938	377	101	4	3	-	1,423	4,457
	4	337	99	33	1	1	-	471	2,597
	5	177	52	25	3	-	-	257	1,028
	6	95	32	10	1	-	-	138	337
	7	17	3	1	-	-	-	21	57
TOTAL----		2,342	776	201	9	5	-	3,333	11,245
13 & 23	1-2	553	361	211	47	3	8	1,183	6,215
	3	667	388	274	80	11	13	1,433	7,395
	4	185	57	22	11	2	1	278	1,703
	5	22	2	4	-	-	1	29	225
	6	2	1	3	-	-	-	6	23
	7	-	-	-	-	-	-	-	-
TOTAL----		1,429	809	514	138	16	23	2,929	15,561
33	1-2	698	587	323	41	2	14	1,665	5,883
	3	1,680	1,105	948	130	11	43	3,917	19,919
	4	799	376	179	73	13	13	1,453	7,647
	5	188	48	21	16	-	3	276	1,330
	6	28	9	5	-	-	13	55	167
	7	3	-	1	-	-	2	6	28
TOTAL----		3,396	2,125	1,477	260	26	88	7,372	34,974
43	1-2	357	128	33	2	3	8	531	5,846
	3	3,549	1,151	395	42	9	5	5,151	43,510
	4	2,134	884	209	48	8	3	3,286	27,476
	5	365	106	37	14	2	2	526	5,463
	6	74	15	13	1	1	7	111	704
	7	5	10	10	-	-	10	35	93
TOTAL----		6,484	2,294	697	107	23	35	9,640	83,092
53	1-2	141	29	3	-	-	-	173	3,543
	3	1,210	317	49	4	-	-	1,580	19,481
	4	980	335	36	3	1	-	1,355	11,726
	5	204	68	18	2	-	1	293	3,515
	6	25	18	7	-	-	-	50	840
	7	3	4	1	-	-	-	8	99
TOTAL----		2,563	771	114	9	1	1	3,459	39,204
63	1-2	98	44	6	-	-	-	148	902
	3	126	65	8	-	-	-	199	2,503
	4	61	49	8	-	-	-	118	1,129
	5	23	20	1	-	-	-	44	331
	6	12	2	-	-	-	-	14	82
	7	-	-	-	-	-	-	-	15
TOTAL----		320	180	23	-	-	-	523	4,962
24-54	1-7	989	583	382	59	15	1	2,029	7,138
25-35	1-7	-	-	1	-	-	-	1	16
81-85 1/	1-7	151	92	62	5	-	-	310	1,947
8 2/	8 2/	135	37	43	10	-	4	229	1,018
TOTAL, ALL-----		3,639,998	2,038,629	998,846	173,752	28,143	3,485	6,882,853	16,272,484
EXTRANEEOUS MATTER									Average Staple ----- 34.2
Bark - Level 1		1,084,296							Percent Tenderable ----- 64.1
Bark - Level 2		1,726							
Grass - Level 1		156,902							
Grass - Level 2		1,149							
Prep - Level 1		14,197							
Prep - Level 2		37							
Other - Level 1		17,261							
Other - Level 2		18							

16,272,484 bales classed, includes 25,533 of Kansas. 1/ Below Color. 2/ Below Leaf.

Table 2. -- *United States*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.1	0.4	1.2	2.0	2.4	2.5	2.3	1.6	0.3	*	*	12.9
	3	*	*	*	0.1	0.2	0.5	1.0	1.3	1.4	1.4	1.3	0.3	*	*	7.6
	4	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	0.1	0.2	0.7	1.8	3.1	3.9	4.0	3.8	2.9	0.6	0.1	*	21.2
31	1-2	*	*	*	*	0.1	0.5	1.2	1.7	1.4	0.7	0.3	*	*	*	6.0
	3	*	*	*	0.1	0.3	1.1	3.3	5.5	5.3	2.8	1.2	0.2	*	*	19.8
	4	*	*	*	*	0.1	0.3	0.8	1.3	1.3	0.7	0.3	*	*	*	5.0
	5	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	0.2	0.5	2.0	5.4	8.7	8.1	4.2	1.8	0.3	*	*	31.2
41	1-2	-	*	*	*	*	0.2	0.6	0.9	0.6	0.2	0.1	*	*	*	2.7
	3	*	*	*	*	0.2	0.9	2.7	5.0	4.5	2.0	0.6	0.1	*	*	16.1
	4	*	*	*	*	0.2	0.5	1.1	1.8	1.9	1.0	0.4	*	*	*	7.1
	5	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	*	1.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	0.1	0.5	1.9	4.8	8.1	7.1	3.4	1.1	0.1	*	*	27.2
51	1-2	-	-	*	*	*	*	0.1	*	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	0.1	0.3	0.6	0.5	0.2	*	*	*	*	1.7
	4	-	*	*	*	*	*	0.2	0.3	0.3	0.1	*	*	*	*	0.9
	5	-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	0.2	0.6	1.0	0.8	0.3	0.1	*	*	*	3.0
61	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
71	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	0.9
	3	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	*	*	*	0.1	0.2	0.3	0.4	0.4	0.2	0.1	*	*	*	*	1.8
32	1-2	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	3	*	*	0.1	0.1	0.2	0.4	0.5	0.5	0.3	0.1	*	*	*	*	2.2
	4	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	0.8
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	0.1	0.3	0.4	0.7	0.8	0.8	0.5	0.1	*	*	*	*	3.8
42	1-2	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	3	*	*	*	0.1	0.3	0.7	1.1	1.3	0.7	0.2	*	*	*	*	4.5
	4	*	*	0.1	0.2	0.3	0.5	0.6	0.6	0.4	0.1	*	*	*	*	2.9
	5	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	0.1	0.4	0.8	1.4	2.1	2.2	1.3	0.3	*	*	*	*	8.6
52	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	0.1	0.2	0.3	0.1	*	*	*	*	*	0.8
	4	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	0.1	0.2	0.5	0.5	0.3	0.1	*	*	*	*	1.8

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5
53	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
63	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	0.1	0.5	1.4	3.4	8.6	17.9	25.7	22.4	12.5	6.1	1.1	0.2	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.2
		Percent Tenderable														64.1
Bark - Level 1	6.7															
Bark - Level 2	*															
Grass - Level 1	1.0															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

16,272,484 bales classed includes 25,533 of Kansas. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 3. -- *Alabama*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.4	1.4	2.7	2.7	1.1	0.3	*	*	-	-	8.6
	3	-	*	*	*	0.2	0.7	1.8	2.2	1.2	0.3	*	-	-	-	6.5
	4	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.6	2.2	4.7	5.1	2.5	0.7	0.1	*	-	-	15.8
31	1-2	-	-	*	*	0.2	1.1	2.3	2.1	0.8	0.1	*	*	-	-	6.7
	3	-	-	*	*	0.5	2.9	7.7	9.1	4.5	1.0	0.1	*	-	-	25.7
	4	-	*	*	*	0.1	0.5	1.5	2.2	1.4	0.4	*	*	-	-	6.1
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.8	4.5	11.5	13.6	6.7	1.5	0.1	*	-	-	38.8
41	1-2	-	*	*	*	0.1	0.4	0.7	0.6	0.2	*	*	-	-	-	2.0
	3	-	-	*	*	0.3	1.9	5.4	6.5	3.5	0.7	*	-	-	-	18.3
	4	-	-	*	-	0.1	0.5	1.6	2.7	2.1	0.5	*	-	-	-	7.5
	5	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.4	2.9	7.8	9.9	5.8	1.3	0.1	-	-	-	28.2
51	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.2	0.7	1.1	0.7	0.2	*	-	-	-	2.9
	4	-	-	-	-	*	0.1	0.3	0.6	0.4	0.1	*	-	-	*	1.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.3	1.2	1.8	1.1	0.3	*	-	-	-	4.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	3	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.5
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	-	0.9
32	1-2	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.6
	3	-	*	*	*	0.1	0.4	0.8	0.7	0.2	*	*	-	-	-	2.2
	4	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	0.2	0.7	1.1	1.0	0.4	0.1	*	*	-	-	3.4
42	1-2	-	*	*	*	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	3	*	-	-	*	0.2	0.8	1.2	1.1	0.4	0.1	*	-	-	-	3.8
	4	-	-	-	-	*	0.2	0.4	0.5	0.3	*	*	-	-	-	1.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		*	*	*	*	0.3	1.1	1.7	1.7	0.7	0.2	*	-	-	-	5.7
52	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.4	0.5	0.3	0.1	*	-	-	-	1.4

* Less than 0.05 percent.

Table 3. — **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.2
43	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
53	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
25-35	1-7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL----		*	*	*	0.1	2.4	12.3	28.9	34.1	17.7	4.1	0.4	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.6															
Bark - Level 2	*															
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

531,161 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.8	4.0	11.5	11.9	5.2	0.5	*	*	34.1
	3	-	-	-	-	*	*	0.1	0.6	1.6	1.6	0.7	0.1	*	-	4.7
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.9	4.7	13.2	13.7	6.0	0.5	*	*	39.2
31	1-2	-	-	-	-	*	*	0.2	1.0	2.4	2.4	1.0	0.1	*	-	7.2
	3	-	-	-	-	*	0.1	0.4	1.6	3.2	3.2	1.2	0.1	*	-	9.8
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	*	*	-	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.2	0.8	2.8	6.0	6.0	2.4	0.2	*	-	18.4
41	1-2	-	-	-	-	*	*	0.3	1.0	2.1	2.0	1.0	0.1	*	-	6.5
	3	-	-	-	-	*	0.2	1.0	3.7	6.8	6.3	2.9	0.2	*	*	21.0
	4	-	-	-	-	*	*	0.3	1.0	1.4	1.3	0.6	*	*	*	4.6
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.3	1.6	5.8	10.5	9.7	4.5	0.3	*	*	32.7
51	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.5
	3	-	-	-	-	*	*	0.2	0.6	0.9	0.6	0.2	*	*	*	2.6
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	-	-	1.1
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.4	1.2	1.6	1.0	0.3	*	*	*	4.7
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.1	*	*	-	1.6
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.7
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.4	0.9	0.8	0.2	*	*	-	2.4
32	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	0.9
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	*	0.1
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	*	0.3
	5	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.2	0.2	0.1	*	*	-	*	0.7
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	3		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	5		-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	6		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	7		-	-	-	-	-	-	-	*	*	*	*	-	-	*		
TOTAL ----			-	-	-	-	-	*	*	*	*	*	*	*	-	*		
13 & 23	1-2		-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	3		-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	4		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	5		-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	6		-	-	-	-	-	-	-	*	-	*	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL ----			-	-	-	-	-	*	*	*	*	*	*	*	-	0.1		
33	1-2		-	-	-	-	-	*	*	*	*	*	*	-	-	0.1		
	3		-	-	-	-	*	*	*	*	*	*	*	-	-	0.1		
	4		-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	5		-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	6		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	7		-	-	-	-	-	-	-	*	*	*	-	-	-	*		
TOTAL ----			-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2		
43	1-2		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	3		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4		-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	5		-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	6		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	7		-	-	-	-	-	-	*	*	*	*	-	-	-	*		
TOTAL ----			-	-	-	-	*	*	*	*	*	*	-	-	-	0.1		
53	1-2		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	3		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4		-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	5		-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	6		-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	7		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
TOTAL ----			-	-	-	-	*	*	*	*	*	*	*	*	-	*		
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	3		-	-	*	-	-	-	-	-	-	-	-	-	-	*		
	4		-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	5		-	-	-	-	*	*	*	*	-	-	-	-	-	*		
	6		-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	7		-	-	-	-	-	*	*	*	-	-	-	-	-	*		
TOTAL ----			-	-	-	-	*	*	*	*	*	-	-	-	-	*		
24-54	1-7		-	-	-	-	*	*	*	*	*	*	-	-	-	*		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	*		
81-85 1/	1-7		-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	8 2/		-	-	-	-	-	*	*	*	*	*	-	-	-	*		
TOTAL, ALL ----			-	-	-	*	0.1	0.8	4.2	15.7	32.8	31.7	13.7	1.0	*	100.0		
EXTRANEIOUS MATTER																	Average Staple	35.4
																	Percent Tenderable	56.9
Bark - Level 1			6.1															
Bark - Level 2			0.1															
Grass - Level 1			0.5															
Grass - Level 2			"															
Prep - Level 1			"															
Prep - Level 2			-															
Other - Level 1			0.1															
Other - Level 1			"															

694,174 Bales classed. 1/ Below Color. 2/ Below Leaf. " Less than 0.05 percent.

Table 5. -- *Arkansas*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.4	1.3	1.2	0.4	*	*	-	-	3.5
	3	-	-	-	-	*	*	0.2	1.0	1.6	0.7	0.1	*	-	-	3.6
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.6	2.3	2.9	1.2	0.1	*	-	-	7.3
31	1-2	-	-	-	*	*	0.1	0.9	3.1	3.2	0.9	0.1	*	-	-	8.2
	3	-	-	-	*	*	0.2	1.9	8.5	12.1	4.4	0.3	*	-	-	27.4
	4	-	-	-	-	*	*	0.2	1.0	2.5	1.5	0.2	*	-	-	5.4
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.3	2.9	12.6	17.9	6.9	0.6	*	-	-	41.1
41	1-2	-	-	-	*	*	0.1	0.4	1.5	1.3	0.3	*	-	-	-	3.5
	3	-	-	-	*	*	0.3	1.9	7.7	9.4	2.8	0.2	*	-	-	22.2
	4	-	-	-	*	*	0.1	0.5	2.1	3.8	2.0	0.2	*	-	-	8.8
	5	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.4	2.8	11.4	14.8	5.3	0.5	*	-	-	35.3
51	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	-	-	-	1.1
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.3	0.7	0.8	0.3	*	*	-	-	2.2
61	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
32	1-2	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	-	0.6
	3	-	-	-	-	*	*	0.4	1.1	0.9	0.2	*	*	-	-	2.6
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.6	1.5	1.3	0.3	*	*	-	-	3.9
42	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.8	1.9	1.6	0.4	*	*	-	-	4.9
	4	-	-	-	-	*	*	0.3	0.7	0.7	0.3	*	*	-	-	2.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.2	1.2	2.9	2.7	0.7	0.1	*	-	-	7.8
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.2	0.5	0.4	0.1	*	*	-	-	-	1.3

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.1	1.2	8.9	32.4	41.1	14.9	1.3	*	-	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.4														
Bark - Level 2		*														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,405,837 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Average Staple 34.6
Percent Tenderable 77.7

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	-	*	0.1	0.9	2.8	6.1	9.6	8.2	2.0	0.4	*	30.1
	3	-	-	-	-	*	*	0.2	0.8	2.7	6.9	8.0	1.8	0.4	0.1	20.8
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	-	*	0.1	1.1	3.6	8.8	16.7	16.5	3.9	0.8	0.1	51.6
31	1-2	-	-	-	-	*	*	0.3	0.8	1.7	2.2	1.4	0.3	*	*	6.7
	3	-	-	-	-	*	*	0.2	0.9	3.4	7.5	7.0	1.4	0.2	*	20.7
	4	-	-	-	-	*	*	*	0.1	0.4	1.0	1.3	0.3	*	*	3.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	0.1	0.5	1.8	5.5	10.8	9.7	1.9	0.2	*	30.7
41	1-2	-	-	-	-	*	*	*	0.2	0.3	0.3	0.2	*	*	*	1.0
	3	-	-	-	-	*	*	0.1	0.6	2.0	3.8	2.4	0.4	*	*	9.5
	4	-	-	-	-	*	*	*	0.1	0.6	1.7	1.4	0.2	*	*	4.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.2	0.9	3.0	5.9	4.0	0.6	0.1	*	14.7
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.3	0.2	*	*	*	*	0.7
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	0.9
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.2	*	*	*	0.5
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.3
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 6. — **California**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	*	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
TOTAL, ALL—		-	-	*	*	*	0.3	1.9	6.7	17.9	34.2	31.0	6.7	1.1	0.2	100.0
EXTRANEEOUS MATTER		Average Staple														
		Percent Tenderable														
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.7														
Other - Level 1		*														

2,150,665 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- *Florida*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	1.0	1.3	0.2	*	-	-	-	2.8
	3	-	-	-	-	-	*	0.4	1.3	1.7	0.6	*	-	-	-	4.0
	4	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	0.6	2.4	3.0	0.9	0.1	-	-	-	7.0
31	1-2	-	-	-	-	*	0.1	0.8	2.7	1.9	0.3	*	-	-	-	5.9
	3	-	-	-	-	*	0.4	3.5	12.2	10.3	2.1	0.1	-	-	-	28.7
	4	-	-	-	-	*	*	0.2	0.8	1.0	0.4	0.1	-	-	-	2.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.5	4.6	15.7	13.2	2.8	0.2	-	-	-	37.1
41	1-2	-	-	-	*	*	*	0.3	0.6	0.5	0.1	*	-	-	-	1.5
	3	-	-	-	*	*	0.5	3.2	9.5	7.9	2.0	0.2	*	-	-	23.3
	4	-	-	-	-	*	0.1	0.7	2.2	2.7	1.0	0.1	-	-	-	6.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.7	4.1	12.4	11.0	3.1	0.3	*	-	-	31.7
51	1-2	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.1	0.7	2.5	2.1	0.6	*	-	-	-	6.0
	4	-	-	-	-	*	*	0.3	1.2	1.3	0.5	*	-	-	-	3.4
	5	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	1.0	3.8	3.5	1.1	0.1	-	-	-	9.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	*	0.1	0.4	0.7	0.4	*	*	-	-	-	1.7
	4	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	0.5	0.9	0.5	0.1	*	-	-	-	2.1
42	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	*	0.4	1.1	1.8	1.2	0.4	*	*	-	-	5.1
	4	-	-	-	-	*	0.2	0.6	1.0	0.7	0.3	*	-	-	-	2.9
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.7	1.8	3.0	1.9	0.8	0.1	*	-	-	8.3
52	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.4	0.4	0.1	-	-	-	-	1.0
	4	-	-	-	-	*	*	0.1	0.5	0.4	0.1	*	-	-	-	1.2
	5	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.3	1.0	0.9	0.2	*	-	-	-	2.4

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.7
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	-	1.1
53	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	-	*	*	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	*	0.2	2.4	13.2	39.8	34.4	9.1	0.9	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	3.1															
Bark - Level 2	"															
Grass - Level 1	1.0															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

Average Staple 34.4
Percent Tenderable 57.0

92,363 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	-	-	1.0
	3	-	-	-	*	*	*	0.3	0.8	1.1	0.5	0.1	*	-	-	2.8
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.4	1.1	1.5	0.7	0.1	*	-	-	3.9
31	1-2	-	-	-	*	*	0.1	0.5	1.0	0.8	0.2	*	*	-	-	2.6
	3	-	-	-	*	0.1	0.7	3.0	7.1	7.3	2.8	0.5	*	*	-	21.5
	4	-	-	-	*	*	*	0.2	0.5	0.8	0.4	0.1	*	*	-	2.0
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.8	3.6	8.7	8.9	3.5	0.6	*	*	-	26.2
41	1-2	-	-	-	*	*	0.2	0.5	0.6	0.3	0.1	*	*	-	-	1.7
	3	-	-	*	*	0.2	1.5	5.8	11.6	10.1	3.7	0.6	*	-	-	33.5
	4	-	*	-	*	*	0.2	1.0	2.4	2.8	1.4	0.3	*	-	-	8.1
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	*	*	*	0.2	1.9	7.3	14.8	13.3	5.2	1.0	*	-	-	43.6
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.4	1.4	2.5	2.2	0.9	0.2	*	-	-	7.6
	4	-	-	-	*	*	0.1	0.5	1.0	1.1	0.5	0.1	*	-	-	3.3
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.6	2.0	3.7	3.4	1.4	0.3	*	-	-	11.4
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	0.1	0.3	0.3	0.2	*	*	-	-	-	0.9
42	1-2	-	-	*	*	-	0.1	0.1	0.1	-	-	-	-	-	-	0.3
	3	-	-	-	-	0.2	0.9	1.8	2.0	0.9	0.2	*	-	-	-	6.0
	4	-	-	-	-	-	0.2	0.6	0.8	0.5	0.1	*	-	-	-	2.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.2	1.1	2.5	2.9	1.4	0.3	*	-	-	-	8.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	0.1	0.5	0.9	0.6	0.2	*	*	-	-	-	2.4
	4	-	-	-	-	-	0.2	0.4	0.4	0.2	*	*	-	-	-	1.4
	5	-	-	-	-	-	-	-	0.1	-	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	0.1	0.8	1.4	1.2	0.5	0.1	*	-	-	-	4.1

* Less than 0.05 percent.

Table 8. — **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4	
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	*	*	0.1	*	*	*	*	*	*	*	0.2		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	TOTAL----	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	0.3	
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
8 2/	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		-	*	*	0.1	0.9	5.5	17.8	32.9	29.5	11.3	2.0	*	*	-	100.0		
EXTRANEEOUS MATTER																Average Staple Percent Tenderable	34.3 71.5	
Bark - Level 1		2.9																
Bark - Level 2		*																
Grass - Level 1		1.8																
Grass - Level 2		*																
Prep - Level 1		0.2																
Prep - Level 2		*																
Other - Level 1		*																
Other - Level 1		*																

1,617,189 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 9. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	1.0	3.0	4.3	3.1	1.0	0.1	*	*	*	-	12.5
	3	-	-	-	*	0.1	0.5	0.8	0.8	0.4	0.1	*	*	*	-	2.8
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	1.1	3.4	5.1	4.0	1.5	0.2	0.1	*	*	-	15.4
31	1-2	-	-	-	*	0.2	1.5	3.6	4.3	2.1	0.4	*	*	*	-	12.2
	3	-	-	-	*	0.1	0.6	2.1	3.8	3.2	1.1	0.2	*	*	-	11.1
	4	-	-	-	-	-	-	0.1	0.3	0.4	0.2	0.1	*	*	-	1.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	0.4	2.1	5.8	8.4	5.8	1.7	0.3	*	*	-	24.5
41	1-2	-	-	-	*	0.1	1.1	3.0	3.9	2.0	0.4	*	*	*	-	10.4
	3	-	-	-	*	0.1	1.1	4.4	8.5	6.4	2.0	0.3	*	*	-	22.8
	4	-	-	-	-	*	0.1	0.5	1.5	1.8	0.9	0.2	*	*	-	5.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	-	-	*	0.2	2.3	7.9	13.9	10.2	3.3	0.5	0.1	*	-	38.4
51	1-2	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.5	0.9	0.5	0.1	*	*	-	-	2.1
	4	-	-	-	-	*	-	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	0.2	0.9	1.5	1.0	0.3	*	*	-	-	3.9
61	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	*	-	-	-	1.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	0.2	0.4	0.6	0.5	0.2	*	*	-	-	-	1.8
32	1-2	-	-	-	*	0.1	0.2	0.4	0.4	0.2	*	*	-	-	-	1.4
	3	-	-	-	*	0.1	0.3	0.6	0.7	0.4	0.1	*	-	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	0.2	0.6	1.1	1.3	0.7	0.1	*	*	-	-	4.0
42	1-2	-	-	-	*	*	0.2	0.4	0.5	0.2	*	*	-	-	-	1.5
	3	-	-	-	-	0.1	0.5	1.3	1.9	1.2	0.3	*	-	-	-	5.1
	4	-	-	-	-	*	0.1	0.4	0.8	0.7	0.2	*	*	-	-	2.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	0.1	0.8	2.1	3.2	2.1	0.5	*	*	-	-	8.8
52	1-2	-	-	-	-	*	*	0.1	0.2	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.3	0.5	0.2	*	*	-	-	-	1.1
	4	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.2	0.6	0.9	0.5	0.1	*	*	-	-	2.3

* Less than 0.05 percent.

Table 9. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
53	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	*	*	*	-	-	-	-	0.2
63	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	2.1	10.1	24.2	34.0	22.1	6.3	1.0	0.1	*	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.3														Average Staple 33.9
Bark - Level 2		*														Percent Tenderable 61.0
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

923,070 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 10. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.3	1.1	1.4	1.1	0.5	0.1	*	*	-	-	4.5
	3	-	-	-	*	0.1	0.4	0.6	0.7	0.4	0.1	*	*	-	-	2.4
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	-	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.4	1.5	2.1	1.9	0.9	0.3	*	*	-	*	7.1
31	1-2	-	-	-	*	0.1	0.7	2.0	2.7	1.4	0.3	*	*	-	-	7.3
	3	-	-	-	*	0.1	0.7	2.7	4.7	3.5	1.0	0.1	*	-	-	12.9
	4	-	-	-	*	*	0.1	0.3	0.6	0.7	0.3	*	*	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	TOTAL----	-	-	-	*	0.2	1.6	5.0	8.1	5.6	1.6	0.2	*	-	-	22.3
41	1-2	-	-	-	*	0.1	0.6	1.7	2.1	0.9	0.1	*	-	-	-	5.6
	3	-	-	-	*	0.1	1.1	4.8	9.0	6.1	1.6	0.1	*	-	-	22.8
	4	-	-	-	*	*	0.2	0.9	2.4	2.6	1.0	0.1	*	-	-	7.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	0.3	2.0	7.4	13.5	9.7	2.8	0.3	*	-	-	36.0
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	0.1	0.4	0.7	0.5	0.1	*	*	-	-	1.8
	4	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	0.7	1.2	0.9	0.2	*	*	-	-	3.2
61	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
.12 & 22	1-2	-	-	-	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	0.9
	3	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.4	0.6	0.6	0.2	*	*	-	-	-	2.0
32	1-2	-	-	-	*	0.1	0.2	0.4	0.5	0.3	*	*	-	-	-	1.6
	3	-	-	-	*	*	0.3	0.7	1.0	0.6	0.2	*	*	-	-	2.8
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.6	1.3	1.7	1.1	0.3	*	*	-	-	5.1
42	1-2	-	-	-	*	0.1	0.4	0.8	0.8	0.4	*	*	*	-	-	2.5
	3	-	-	-	*	0.2	1.0	2.7	4.0	2.5	0.6	*	*	-	-	11.0
	4	-	-	-	*	*	0.2	0.9	1.8	1.6	0.6	0.1	*	-	-	5.3
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.3	1.6	4.4	6.7	4.6	1.4	0.1	*	-	-	19.2
52	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.2	0.5	0.8	0.4	0.1	*	*	-	-	2.0
	4	-	-	-	-	*	0.1	0.4	0.6	0.5	0.2	*	-	-	-	1.7
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.3	1.0	1.5	1.0	0.3	*	*	-	-	4.2

* Less than 0.05 percent.

Table 10. — *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
53	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.2
63	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	8 2/	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL, ALL		-	-	-	*	1.6	8.3	22.8	35.6	24.2	6.8	0.7	*	-	*	100.0
EXTRANEOUS MATTER																
Bark - Level 1		0.4														Average Staple 34.0
Bark - Level 2		*														Percent Tenderable 58.5
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,676,175 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 11. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.8	1.5	0.5	*	*	-	-	3.0
	3	-	-	-	-	*	*	0.1	0.8	1.9	0.8	0.1	*	-	-	3.7
	4	-	-	-	-	*	-	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	1.7	3.6	1.4	0.1	*	-	-	6.9
31	1-2	-	-	-	-	*	*	0.6	3.2	4.2	1.3	0.1	*	-	-	9.4
	3	-	-	-	-	*	*	1.0	7.2	13.7	5.5	0.5	*	-	-	27.9
	4	-	-	-	-	*	*	0.1	0.8	2.0	1.0	0.1	*	-	-	4.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	1.7	11.3	19.9	7.9	0.7	*	-	-	41.5
41	1-2	-	-	-	-	*	*	0.4	1.5	1.7	0.5	*	*	-	-	4.2
	3	-	-	-	-	*	0.1	1.3	7.3	11.0	4.0	0.4	*	-	-	24.0
	4	-	-	-	-	*	*	0.3	1.7	2.9	1.2	0.1	*	-	-	6.2
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	2.0	10.5	15.7	5.7	0.6	*	-	-	34.7
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.4	0.5	0.1	*	-	-	-	1.1
	4	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	0.7	0.7	0.2	*	-	-	-	1.7
61	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.1	0.2	*	*	*	-	-	-	0.4
32	1-2	-	-	-	-	-	*	0.1	0.4	0.3	*	*	-	-	-	0.8
	3	-	-	-	-	-	*	0.2	1.0	1.0	0.3	*	-	-	-	2.5
	4	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	1.6	1.5	0.4	*	-	-	-	3.9
42	1-2	-	-	-	-	-	*	0.2	0.5	0.3	*	*	-	-	-	1.0
	3	-	-	-	-	-	*	0.6	2.7	2.3	0.4	*	-	-	-	6.1
	4	-	-	-	-	*	*	0.2	0.7	0.9	0.2	*	-	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	1.0	3.9	3.5	0.7	*	-	-	-	9.2
52	1-2	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	*	0.1	0.4	0.3	*	*	-	-	-	0.9
	4	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.7	0.5	0.1	*	-	-	-	1.5

* Less than 0.05 percent.

Table 11. — *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54 25-35 81-85 1/ 8 2/	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	-	*	0.3	5.6	30.5	45.7	16.4	1.5	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.8														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

502,031 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 12. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.6	1.5	4.9	9.6	12.5	4.0	0.8	*	34.2
	3	-	-	-	-	*	0.1	0.5	0.6	0.8	2.0	4.2	2.7	0.9	*	11.9
	4	-	-	-	-	-	*	*	0.1	0.1	0.2	1.0	1.0	0.4	*	2.9
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.2	1.2	2.2	5.9	11.9	17.7	7.8	2.2	0.1	49.3
31	1-2	-	-	-	-	*	0.2	0.5	0.5	1.5	3.0	2.9	0.7	0.1	*	9.6
	3	-	-	-	-	*	0.1	0.4	0.6	1.4	1.6	2.6	1.6	0.4	*	8.7
	4	-	-	-	-	*	0.1	0.2	0.2	0.3	0.6	2.7	2.9	1.0	0.1	8.1
	5	-	-	-	-	-	*	*	*	*	0.1	0.5	0.7	0.3	*	1.8
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL----		-	-	-	-	0.1	0.4	1.1	1.4	3.2	5.3	8.8	5.9	1.9	0.1	28.2
41	1-2	-	-	-	-	*	*	*	0.1	0.5	0.6	0.3	*	*	-	1.6
	3	-	-	-	-	*	*	0.2	0.4	1.3	1.0	0.7	0.2	*	-	3.8
	4	-	-	-	-	*	0.1	0.2	0.3	0.7	1.0	2.5	1.5	0.4	*	6.7
	5	-	-	-	-	-	*	0.1	*	0.1	0.4	2.0	1.6	0.4	*	4.7
	6	-	-	-	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	0.8
	7	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
TOTAL----		-	-	-	-	*	0.2	0.5	0.8	2.6	3.1	5.9	3.6	0.9	*	17.7
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.1	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	0.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	0.1	0.1	0.2	*	*	-	0.4
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.1	*	*	0.8
	4	-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.2	0.3	0.9	0.3	0.1	*	1.8
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.1	*	1.1
42	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 12. -- *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	0.1	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	0.1	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	0.1	0.2	-	-	-	0.3
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
TOTAL, ALL		-	-	-	-	0.1	0.9	2.8	4.6	12.2	21.2	34.5	18.2	5.2	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		2.6														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

58,427 Bales classed. 1/ Below Color. 2/ Below Leaf. - Less than 0.05 percent.

Table 13. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	3	-	-	-	*	*	0.6	1.5	1.8	1.2	0.3	*	*	-	-	5.5
	4	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	0.1	0.7	1.9	2.3	1.4	0.4	*	*	-	-	6.8
31	1-2	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	-	1.0
	3	-	-	-	*	0.2	2.6	9.7	14.5	11.8	4.0	0.4	*	-	-	43.1
	4	-	-	-	*	0.1	1.0	4.3	7.2	5.9	2.2	0.3	*	-	-	21.0
	5	-	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	*	-	-	1.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	0.2	3.8	14.8	22.6	18.3	6.4	0.8	*	-	-	66.9
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	0.4	1.8	3.0	2.7	1.1	0.2	*	-	-	9.3
	4	-	-	-	*	*	0.5	2.2	3.7	3.3	1.4	0.3	*	-	-	11.5
	5	-	-	-	*	*	0.1	0.5	0.7	0.5	0.2	*	*	-	-	2.1
	6	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	0.1	1.2	4.6	7.7	6.7	2.7	0.5	*	-	-	23.4
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	5	-	-	-	-	*	*	0.1	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.1	0.1	*	*	*	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	-	0.8
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	-	-	0.1	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	0.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1

* Less than 0.05 percent.

Table 13. -- **North Carolina** : Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	3	-	-	-	*	-	-	*	*	*	-	-	-	-	-	-		
	4	-	-	-	-	*	-	*	*	*	-	-	-	-	-	-		
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	6	-	-	-	-	*	-	*	*	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	*	*	*	*	*	*	*	-	-	-	-	-	0.1	
43	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	5	-	-	-	*	-	-	*	*	*	-	-	-	-	-	-		
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	*	*	*	*	*	*	*	-	-	-	-	-	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	*	*	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	-		
	8 2/	-	-	-	-	*	*	*	*	*	-	-	-	-	-	-		
TOTAL, ALL----		-	-	-	*	0.4	6.0	22.0	33.5	27.0	9.7	1.3	*	-	-	-	100.0	
EXTRANEIOUS MATTER																	Average Staple	34.2
																	Percent Tenderable	80.0
Bark - Level 1		2.9																
Bark - Level 2		"																
Grass - Level 1		3.6																
Grass - Level 2		"																
Prep - Level 1		0.1																
Prep - Level 2		-																
Other - Level 1		"																
Other - Level 1		-																

1,404,737 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 14. — *Oklahoma*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
11 & 21	1-2	-	*	0.2	0.4	0.5	0.9	3.0	7.7	12.6	15.2	8.3	0.4	*	-	49.4
	3	-	*	0.2	0.4	0.6	0.5	0.6	0.8	1.4	1.3	0.5	*	*	-	6.4
	4	-	*	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	*	*	-	-	1.0
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	0.1	0.4	1.0	1.3	1.7	3.7	8.6	14.2	16.6	8.9	0.5	*	-	56.9
31	1-2	-	-	*	*	*	*	0.1	0.2	0.4	0.5	0.3	*	*	-	1.5
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.6
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.1	0.1	0.2	0.3	0.5	0.7	0.4	*	*	-	2.4
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	*	0.2	0.1	*	*	*	*	*	-	0.4
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	-	0.6
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4
	3	-	-	*	*	*	0.1	0.3	0.4	0.3	0.3	0.1	*	-	-	1.5
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.1	0.4	0.6	0.5	0.4	0.1	*	-	-	2.2
61	1-2	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.5
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	*	0.1	0.3	0.4	0.2	0.1	*	-	-	1.1
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
12 & 22	1-2	-	*	0.1	0.2	0.3	0.3	0.5	1.0	0.9	0.5	0.2	*	-	-	4.0
	3	-	*	0.1	0.3	0.3	0.2	0.2	0.4	0.5	0.2	0.1	*	-	-	2.4
	4	-	*	*	0.1	0.1	0.1	*	*	0.1	*	*	-	-	-	0.6
	5	-	*	*	*	*	*	-	*	*	*	*	-	-	-	0.1
	6	-	-	*	*	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	0.1	0.3	0.6	0.8	0.6	0.8	1.4	1.5	0.8	0.3	*	-	-	7.1
32	1-2	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.6
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.7
	4	-	*	*	*	*	*	*	*	0.1	*	*	*	-	-	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	*	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.3	0.2	*	-	-	1.8
42	1-2	*	*	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.4
	3	*	*	0.1	0.2	0.2	0.4	0.3	0.1	*	*	*	*	-	-	1.4
	4	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	*	0.1	0.2	0.3	0.4	0.6	0.5	0.2	*	*	*	*	-	-	2.2
52	1-2	*	*	*	*	0.1	0.3	0.7	0.5	0.1	*	*	-	-	-	1.8
	3	*	0.1	0.2	0.3	0.4	0.8	1.5	1.1	0.4	0.1	*	*	-	-	4.9
	4	*	*	0.1	0.2	0.3	0.3	0.4	0.3	0.1	*	-	-	-	-	1.8
	5	*	*	*	*	0.1	0.1	*	*	*	*	-	-	-	-	0.3
	6	-	*	*	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	TOTAL----	*	0.2	0.3	0.6	0.9	1.6	2.7	1.9	0.6	0.1	*	*	-	-	8.8

* Less than 0.05 percent.

Table 14. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	*	*	*	0.1	0.3	0.6	0.5	0.1	*	-	-	-	1.8
	3	-	*	*	*	0.1	0.2	0.3	0.4	0.5	0.2	0.1	*	-	-	1.9
	4	-	*	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	*	*	0.1	0.2	0.4	0.7	1.0	1.0	0.4	0.1	*	-	-	4.0
13 & 23	1-2	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.5
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	*	0.1	0.1	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.8
33	1-2	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.6
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	*	*	0.1	0.1	*	0.1	0.3	0.3	0.3	0.2	*	-	-	1.5
43	1-2	*	*	*	0.1	0.1	*	*	*	*	*	*	-	-	-	0.4
	3	*	0.1	0.1	0.3	0.2	0.1	*	*	*	*	*	-	-	-	1.0
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	*	*	-	-	1.6
53	1-2	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	*	-	-	-	0.9
	3	0.1	0.3	0.3	0.5	0.5	0.4	0.3	0.1	*	*	-	*	-	-	2.6
	4	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	-	-	-	-	1.0
	5	*	*	*	*	0.1	*	*	*	*	*	-	-	-	-	0.2
	6	-	*	*	*	*	*	-	-	-	-	-	-	-	-	*
	7	-	*	*	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	0.1	0.4	0.6	0.9	1.0	0.8	0.6	0.2	0.1	*	*	*	-	-	4.7
63	1-2	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	-	-	0.6
	3	*	*	0.1	0.2	0.2	0.3	0.2	0.1	0.1	*	*	-	-	-	1.3
	4	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	-	-	0.4
	5	*	*	*	*	*	*	-	*	*	*	*	-	-	-	0.1
	6	-	*	*	*	*	*	-	-	-	-	-	-	-	-	*
	7	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	0.1	0.2	0.4	0.4	0.5	0.4	0.2	0.1	0.1	*	-	-	-	2.3
24-54	1-7	*	*	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	*	-	-	1.3
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	-	-	0.7
	8 2/	-	*	*	*	*	*	*	-	-	-	-	-	-	-	*
TOTAL, ALL		0.1	1.1	2.4	4.8	6.0	7.1	10.9	15.9	20.1	20.4	10.6	0.6	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		22.3														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

144,590 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 15. — **South Carolina** : Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	0.8	1.2	0.9	0.3	*	*	-	-	3.5
	3	-	-	-	*	*	0.4	1.7	3.4	2.7	1.1	0.2	*	-	-	9.5
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.7	2.5	4.8	3.7	1.5	0.2	*	-	-	13.5
31	1-2	-	-	-	*	0.1	0.5	1.2	1.2	0.6	0.1	*	-	-	-	3.6
	3	-	-	-	*	0.3	3.0	10.3	14.1	8.9	2.7	0.3	*	-	-	39.6
	4	-	-	-	*	*	0.3	1.5	2.9	2.5	1.0	0.2	*	-	-	8.5
	5	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.4	3.8	13.1	18.4	12.2	3.9	0.5	*	-	-	52.3
41	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	3	-	-	-	*	0.2	2.0	5.3	5.6	3.2	0.9	0.1	*	-	-	17.4
	4	-	-	-	*	0.1	0.5	1.9	2.7	2.1	0.8	0.1	*	-	-	8.2
	5	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.7
	6	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	0.3	2.7	7.6	8.8	5.6	1.8	0.2	*	-	-	27.1
51	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	0.4	0.4	0.2	0.1	*	*	-	-	1.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	0.4	0.2	0.1	*	*	*	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	*	-	-	1.4
42	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	0.1	0.5	0.8	0.5	0.2	*	*	*	-	-	2.1
	4	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	-	-	-	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.7	1.3	0.9	0.4	0.1	*	*	-	-	3.6
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4

* Less than 0.05 percent.

Table 15. -- **South Carolina** : Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		-	-	-	*	0.9	8.4	25.7	33.9	22.5	7.5	1.0	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.1															
Bark - Level 2	*															
Grass - Level 1	2.1															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

357,236 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 16. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	0.2	1.4	4.1	3.5	1.0	0.1	*	*	-	-	10.4
	3	-	-	-	-	0.1	0.7	2.5	3.1	1.3	0.2	*	*	-	-	7.8
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	0.3	2.2	6.6	6.8	2.3	0.3	*	*	-	-	18.5
31	1-2	-	-	-	-	0.3	2.3	4.8	3.6	1.1	0.1	*	-	-	-	12.3
	3	-	-	-	-	0.4	3.5	11.4	13.3	5.2	0.7	*	*	-	-	34.4
	4	-	-	-	-	*	0.3	1.0	1.8	1.0	0.2	*	*	-	-	4.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	0.7	6.0	17.2	18.8	7.4	1.0	*	*	-	-	51.1
41	1-2	-	-	-	-	*	0.3	0.7	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	-	-	0.2	1.4	4.5	5.6	2.2	0.3	*	*	-	-	14.1
	4	-	-	-	-	0.1	0.4	1.1	1.5	0.8	0.1	*	-	-	-	4.0
	5	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	0.3	2.2	6.4	7.8	3.2	0.5	*	*	-	-	20.4
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	0.1	0.2	0.2	0.2	*	*	*	-	-	-	0.6
	4	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	0.1	0.4	0.4	0.3	0.1	*	*	-	-	-	1.3
61	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
71	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
32	1-2	-	-	-	-	*	0.3	0.4	0.3	0.1	*	*	-	-	-	1.0
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	*	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	0.1	0.6	1.3	1.1	0.4	0.1	*	*	-	-	3.1
42	1-2	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	-	0.5
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	-	-	-	2.2
	4	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	0.1	0.6	1.3	1.1	0.4	*	*	-	-	-	3.5
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4

* Less than 0.05 percent.

Table 16. — *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	4	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	5	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
13 & 23	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	3	-	-	*	-	*	*	*	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL, ALL		-	-	-	-	1.7	12.2	33.8	36.3	13.9	2.0	0.1	*	-	-	100.0	
EXTRANEIOUS MATTER																Average Staple	33.5
																Percent Tenderable	76.7
Bark - Level 1		0.5															
Bark - Level 2		-															
Grass - Level 1		0.3															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

691,310 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 17. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	0.1	0.4	1.3	3.0	4.6	4.4	2.7	1.2	0.6	*	*	*	18.3
	3	*	*	0.1	0.3	0.8	1.4	1.9	1.8	1.2	0.7	0.6	*	*	*	8.8
	4	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	0.1	0.1	*	*	-	1.7
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	0.2	0.8	2.3	4.8	6.9	6.5	4.1	2.1	1.3	0.1	*	*	29.1
31	1-2	*	*	*	0.1	0.2	0.7	1.3	1.2	0.7	0.2	0.1	*	*	-	4.6
	3	*	*	0.1	0.3	0.8	1.5	2.1	1.6	0.8	0.4	0.3	*	*	*	8.0
	4	*	*	0.1	0.2	0.4	0.6	0.7	0.5	0.3	0.2	0.1	*	*	*	3.2
	5	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	-	0.6
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	0.2	0.7	1.6	3.1	4.1	3.5	1.8	0.9	0.6	0.1	*	*	16.5
41	1-2	*	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	-	1.3
	3	*	*	*	0.2	0.6	1.3	2.1	1.9	0.9	0.4	0.1	*	*	*	7.5
	4	*	*	*	0.2	0.7	1.6	2.1	1.7	0.7	0.3	0.2	*	*	*	7.6
	5	*	*	*	0.1	0.3	0.7	0.9	0.6	0.2	0.1	*	*	*	*	3.0
	6	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.5
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	0.1	0.5	1.7	3.9	5.6	4.7	2.1	0.8	0.4	*	*	*	20.0
51	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	-	0.6
	4	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.1	0.6
	5	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	0.1	0.2	0.5	0.6	0.3	0.2	0.1	*	*	-	1.8
61	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	*	*	*	0.1	0.3	0.5	0.5	0.4	0.1	*	*	*	*	-	2.1
	3	*	*	0.1	0.1	0.3	0.4	0.4	0.3	0.1	*	*	*	*	-	1.8
	4	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	5	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	*	*	0.1	0.3	0.6	1.0	1.0	0.8	0.3	0.1	*	*	*	-	4.3
32	1-2	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	*	*	*	-	1.1
	3	*	0.1	0.3	0.6	0.9	1.2	1.0	0.5	0.1	*	*	*	*	-	4.8
	4	*	*	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	*	*	-	2.1
	5	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	-	0.3
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	0.1	0.5	1.1	1.6	2.0	1.7	0.9	0.3	0.1	*	*	*	-	8.4
42	1-2	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	-	0.6
	3	*	*	0.2	0.6	1.1	1.6	1.6	0.9	0.2	*	*	*	*	-	6.3
	4	*	*	0.2	0.7	1.2	1.7	1.6	0.8	0.2	*	*	*	*	-	6.6
	5	*	*	0.1	0.2	0.3	0.5	0.5	0.2	0.1	*	*	*	*	-	1.8
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	0.1	0.5	1.5	2.8	4.1	3.9	2.0	0.5	0.1	*	*	*	-	15.6
52	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.5
	4	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	-	0.6
	5	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	-	0.4
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	*	*	*	0.1	0.2	0.4	0.5	0.3	0.1	*	*	*	*	-	1.7

* Less than 0.05 percent.

Table 17. — *Texas*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	*	0.3
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	*	0.3
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	0.5
43	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	*	*	*	0.7
	4	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	*	0.5
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	0.2	0.3	0.3	0.3	0.1	0.1	*	*	*	*	*	*	1.3
53	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	*	0.4
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		*	0.5	2.1	5.5	11.6	19.9	24.6	19.4	9.6	4.2	2.3	0.2	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														32.9
		Percent Tenderable														34.8
Bark - Level 1	22.0															
Bark - Level 2	"															
Grass - Level 1	0.4															
Grass - Level 2	"															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	"															

3,851,475 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 18. — *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.2	1.1	1.4	1.2	0.7	0.1	-	-	-	4.7
	4	-	-	-	-	*	0.1	0.3	0.5	0.4	0.2	*	-	-	-	1.5
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.3	1.5	2.0	1.6	0.9	0.1	-	-	-	6.5
31	1-2	-	-	-	-	-	-	0.1	0.1	0.2	0.1	*	-	-	-	0.5
	3	-	-	-	*	*	1.1	5.9	10.0	12.0	8.5	1.8	*	-	-	39.4
	4	-	-	-	*	*	0.7	4.6	9.1	9.6	5.0	0.9	*	-	-	30.0
	5	-	-	-	*	*	0.1	0.7	1.3	1.1	0.4	*	-	-	-	3.6
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	2.0	11.3	20.6	23.0	14.0	2.8	*	-	-	73.8
41	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.5	1.1	1.5	1.1	0.2	*	-	-	4.6
	4	-	-	-	-	*	0.2	1.3	2.6	3.3	1.8	0.3	*	-	-	9.7
	5	-	-	-	-	*	0.1	0.6	1.1	1.0	0.4	*	-	-	-	3.2
	6	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-	-	-	0.7
	7	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.5	2.5	5.1	6.1	3.4	0.6	*	-	-	18.2
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	-	*	0.1	*	*	*	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.2	0.2	0.1	0.1	*	*	-	-	0.7
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 18. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed through February 1, 2001

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	*	-	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.1	2.9	15.6	28.3	31.1	18.5	3.5	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.5															
Bark - Level 2	"															
Grass - Level 1	4.1															
Grass - Level 2	"															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	"															
Other - Level 1	-															

146,511 Bales classed. 1/ Below Color. 2/ Below Leaf. " Less than 0.05 percent.

Table 19. — Percentage distribution of mike and fiber strength for upland cotton classed through February 1, 2001

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
MIKE 24 & below	*	*	-	*	-	*	-	-	*
25	*	*	-	*	*	*	-	*	*
26	*	*	*	*	*	*	-	*	*
27	*	*	*	*	*	*	-	*	-
28	0.1	*	*	*	*	*	*	*	*
29	0.1	0.1	*	0.1	*	*	*	*	*
30	0.3	0.1	*	0.1	*	*	*	0.1	*
31	0.4	0.1	0.1	0.1	*	*	*	0.1	0.1
32	0.8	0.2	0.1	0.2	0.1	0.1	*	0.2	0.1
33	1.5	0.2	0.2	0.2	0.1	0.1	0.1	0.4	0.2
34	1.7	0.2	0.3	0.3	0.2	0.2	0.1	0.5	0.3
35	3.1	0.4	0.5	0.5	0.4	0.4	0.3	0.9	0.8
36	3.3	0.5	0.9	0.7	0.3	0.6	0.5	1.2	1.4
37	4.2	0.7	1.3	1.2	0.5	0.9	0.6	1.8	2.1
38	5.3	0.9	1.9	2.1	0.8	1.4	1.0	2.5	3.1
39	4.9	1.2	2.7	3.6	1.2	2.2	1.2	3.4	4.6
40	5.8	1.7	3.8	5.8	1.9	3.2	2.0	4.4	6.4
41	6.1	2.3	5.1	8.2	3.0	4.4	2.9	5.4	8.2
42	6.3	3.2	6.4	11.1	3.9	5.9	3.9	6.6	9.6
43	7.4	4.3	7.8	13.2	5.1	7.6	5.7	7.7	10.6
44	7.3	5.4	9.1	12.8	5.6	9.5	7.1	8.7	10.7
45	7.1	6.5	10.1	10.4	6.4	11.1	8.4	9.1	10.4
46	7.3	7.8	10.9	7.9	7.8	12.1	10.2	9.2	9.2
47	6.6	8.7	10.7	6.0	9.2	12.1	11.3	9.0	7.4
48	6.3	9.7	9.7	4.6	12.0	10.6	12.6	8.3	5.8
49	5.0	10.0	7.7	3.6	11.9	7.9	11.1	7.0	3.9
50	3.6	9.4	5.2	2.7	10.4	5.0	8.5	5.4	2.5
51	2.6	8.6	3.3	1.9	9.4	2.7	6.1	3.8	1.5
52	1.5	7.1	1.6	1.2	6.0	1.2	3.7	2.3	0.8
53	0.7	5.1	0.5	0.8	2.7	0.4	1.9	1.2	0.2
54	0.4	3.2	0.2	0.4	1.0	0.2	0.5	0.5	0.1
55	*	1.4	*	0.2	*	*	*	0.2	*
56	*	0.6	*	0.1	*	*	-	*	*
57	*	0.2	*	*	*	*	-	*	-
58	*	*	*	*	*	*	-	*	-
59	*	*	-	*	*	-	-	-	-
60 & above	*	*	-	*	*	-	-	-	-
Average mike	43.0	47.6	45.1	43.9	47.1	45.3	46.6	44.8	43.7
FIBER STRENGTH 1/									
17 & below	*	-	-	-	-	*	-	-	-
18	*	*	-	-	-	*	-	-	-
19	*	*	-	*	-	*	-	*	-
20	*	*	*	*	*	*	-	*	-
21	*	0.1	*	*	-	*	-	*	-
22	0.1	0.3	*	*	*	0.2	*	0.2	*
23	0.4	0.9	0.3	*	0.2	1.8	0.5	0.9	0.1
24	2.4	3.3	1.5	0.2	1.3	5.7	3.2	3.7	1.1
25	11.7	8.1	6.7	0.9	6.6	10.7	10.7	12.0	6.2
26	25.1	13.4	18.6	2.4	17.3	15.3	22.8	26.1	19.6
27	26.7	17.7	31.3	3.9	26.3	18.1	28.5	29.3	32.4
28	18.9	19.6	25.7	4.7	24.5	17.9	20.1	17.5	25.7
29	9.6	17.0	10.9	5.5	14.3	14.3	9.1	7.1	10.6
30	3.7	11.0	3.5	8.1	6.1	9.0	3.2	2.2	3.2
31	1.1	5.4	1.0	14.1	2.3	4.5	1.1	0.7	0.8
32	0.2	2.2	0.3	20.3	0.7	1.8	0.4	0.2	0.2
33	*	0.7	0.1	19.7	0.2	0.6	0.2	0.1	*
34	*	0.2	*	12.0	0.1	0.2	*	*	*
35	*	*	*	5.2	*	*	*	*	*
36 & above	*	*	*	2.8	-	*	*	*	-
Average strength	27.0	27.8	27.3	31.6	27.5	27.4	27.0	26.8	27.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through
February 1, 2001

MIKE AND FIBER STRENGTH		NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE	24 & below	0.1	*	0.2	*	-	0.1	*	*
	25	*	*	0.1	*	*	0.2	0.1	*
	26	0.2	0.1	0.2	*	*	0.3	0.1	0.1
	27	0.2	0.1	0.3	0.1	*	0.5	0.4	0.2
	28	0.5	0.2	0.4	0.1	*	0.8	0.7	0.2
	29	0.7	0.3	0.6	0.2	0.1	1.0	0.9	0.3
	30	0.9	0.5	0.8	0.3	0.2	1.4	1.5	0.5
	31	1.0	0.8	1.0	0.3	0.3	1.9	2.2	0.6
	32	1.3	1.2	1.1	0.4	0.5	2.4	3.3	0.9
	33	2.1	1.8	1.4	0.6	1.0	3.2	4.6	1.2
	34	2.3	2.6	1.8	0.9	1.5	4.1	5.9	1.6
	35	3.9	3.9	2.1	1.4	2.6	5.0	7.6	2.2
	36	5.0	5.4	2.4	2.0	3.6	5.9	9.1	2.7
	37	5.8	7.0	3.0	2.8	4.8	6.7	9.9	3.4
	38	6.8	8.6	3.7	3.9	6.3	7.4	10.4	4.2
	39	7.9	10.1	4.4	5.3	7.5	7.9	10.2	5.1
	40	8.5	10.9	5.2	6.6	8.7	8.0	8.9	6.0
	41	8.0	10.9	6.3	7.9	9.6	7.7	7.4	6.8
	42	8.6	10.2	6.9	9.1	9.5	7.1	5.7	7.5
	43	7.9	8.6	7.3	10.0	9.3	6.3	4.5	8.1
	44	6.5	6.5	7.8	10.2	8.5	5.3	3.1	8.1
	45	5.6	4.4	7.9	9.8	7.2	4.4	1.8	7.7
	46	4.4	2.8	7.6	8.6	5.9	3.6	1.0	7.2
	47	3.4	1.6	7.0	7.2	4.5	2.8	0.5	6.6
	48	3.0	0.8	6.3	5.4	3.3	2.1	0.2	5.8
	49	2.3	0.4	5.6	3.3	2.3	1.6	*	4.7
	50	1.6	0.1	4.3	1.9	1.4	1.0	*	3.4
	51	1.0	*	2.5	1.0	0.9	0.6	*	2.3
	52	0.4	*	1.2	0.4	0.5	0.4	*	1.4
	53	0.1	*	0.4	0.1	0.2	0.2	*	0.7
	54	*	*	0.2	*	0.1	0.1	-	0.4
	55	*	*	*	*	*	*	-	0.1
	56	*	*	*	*	*	*	*	*
	57	*	-	*	*	-	*	-	*
	58	*	*	-	-	-	*	-	*
	59	-	*	*	*	-	*	-	*
	60 & above	-	-	-	-	-	-	-	*
Average mike		40.7	40.0	42.9	43.0	41.9	39.6	37.7	43.0
FIBER STRENGTH 1/ 17 & below		-	-	*	-	-	*	-	*
	18	-	-	0.1	-	-	*	-	*
	19	-	-	0.3	-	-	*	-	*
	20	-	*	0.5	*	-	0.1	*	*
	21	*	0.2	1.0	0.1	*	0.3	0.1	0.1
	22	0.1	1.0	1.8	0.3	*	1.0	0.8	0.4
	23	0.4	4.7	3.1	1.5	0.3	2.5	4.0	1.5
	24	1.4	12.7	5.3	5.3	2.2	6.1	11.3	4.5
	25	2.5	21.1	8.2	13.1	8.5	12.4	20.7	10.3
	26	4.2	23.0	10.8	21.5	20.8	18.1	24.7	17.5
	27	7.9	17.2	12.3	22.9	31.2	19.4	19.7	20.7
	28	12.2	10.0	12.4	17.4	23.7	16.5	10.3	16.4
	29	14.4	5.5	11.1	10.1	9.7	11.2	4.7	9.8
	30	16.1	2.8	9.3	4.9	2.8	6.3	2.1	5.5
	31	16.7	1.2	7.8	1.9	0.7	3.4	0.9	3.9
	32	13.3	0.4	6.6	0.7	0.2	1.6	0.3	3.6
	33	7.2	0.1	4.9	0.2	*	0.7	0.1	3.0
	34	2.9	*	3.2	0.1	*	0.2	*	1.7
	35	0.7	*	1.2	*	*	*	*	0.7
	36 & above	0.1	*	0.2	*	-	*	*	0.4
Average strength		29.8	26.1	28.1	26.9	27.1	27.1	26.1	27.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through February 1, 2001

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
UNIFORMITY 1/									
72 & below	-	-	*	-	-	*	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	*	*	*	-
75	*	*	-	*	-	*	*	*	-
76	*	*	*	*	*	*	*	*	*
77	0.2	0.3	*	*	*	*	0.1	*	*
78	1.4	1.7	0.2	0.2	0.5	0.8	0.9	0.4	0.1
79	6.9	7.4	1.8	1.2	3.1	5.9	6.0	3.5	1.2
80	21.6	22.8	11.1	6.3	14.8	20.6	23.1	17.2	8.2
81	35.4	37.2	33.2	20.8	32.9	35.9	38.6	39.3	32.5
82	25.9	23.7	37.2	40.3	32.5	27.0	24.4	30.2	41.0
83	7.8	6.2	14.5	25.1	14.0	8.6	6.2	8.4	14.9
84	0.8	0.7	2.0	5.3	2.1	1.1	0.7	0.9	2.0
85	*	*	0.1	0.6	*	*	*	*	0.1
86	*	*	-	0.1	-	-	-	-	-
87	*	-	-	*	-	-	-	-	-
88	-	-	-	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.0	80.9	81.6	82.0	81.4	81.1	81.0	81.2	81.7
TRASH 2/									
00	0.1	0.1	*	*	*	*	0.9	*	*
01	9.2	26.5	2.4	20.9	4.4	0.9	15.2	5.8	2.5
02	22.8	35.0	19.8	37.9	18.6	12.5	25.8	24.1	19.7
03	25.1	20.5	30.8	23.4	26.5	26.4	23.1	28.7	32.3
04	18.9	9.2	23.2	11.0	22.4	25.5	15.6	20.1	24.6
05	11.5	3.8	12.7	4.3	14.2	16.9	9.0	11.1	12.6
06	6.2	1.8	6.0	1.6	7.2	9.0	4.9	5.3	5.1
07	3.3	1.0	2.7	0.6	3.5	4.4	2.5	2.5	1.9
08	1.6	0.6	1.2	0.1	1.7	2.2	1.4	1.2	0.7
09	0.6	0.4	0.6	0.1	0.8	1.1	0.8	0.6	0.3
10	0.3	0.3	0.3	*	0.3	0.5	0.4	0.3	0.1
11	0.2	0.2	0.2	*	0.2	0.3	0.3	0.2	0.1
12	0.1	0.2	0.1	*	0.1	0.2	0.2	0.1	*
13	0.1	0.1	*	*	*	*	*	*	*
14	*	0.1	*	*	*	*	*	*	*
15	*	0.1	*	*	*	*	*	*	*
16	*	0.1	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*	*	*
18 & above	*	0.1	*	*	*	*	*	*	*
Average trash	0.35	0.25	0.37	0.25	0.38	0.42	0.32	0.35	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through February 1, 2001

UNIFORMITY AND TRASH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/								
72 & below	-	-	-	-	-	*	-	*
73	-	-	*	-	-	*	-	*
74	-	-	*	-	-	*	-	*
75	*	-	0.2	-	-	0.1	-	*
76	*	*	0.9	*	*	0.5	-	0.1
77	0.2	*	2.9	*	*	2.2	*	0.6
78	1.5	0.9	6.5	1.0	1.6	7.1	0.6	2.3
79	4.9	6.3	12.0	6.6	7.5	16.4	4.6	7.3
80	14.7	21.9	20.3	22.9	23.0	26.1	17.7	18.9
81	27.8	37.0	27.0	33.9	38.4	27.6	34.3	32.1
82	29.2	26.3	21.2	24.7	23.7	15.4	30.3	27.1
83	17.3	6.9	7.8	9.2	5.4	4.0	10.9	9.9
84	3.9	0.7	1.2	1.6	0.4	0.4	1.4	1.5
85	0.4	*	0.1	0.1	*	*	0.1	0.1
86	*	-	-	-	-	*	-	*
87	-	-	-	-	-	*	-	*
88	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-
Average uniformity	81.5	81.0	80.6	81.1	80.9	80.3	81.3	81.1
TRASH 2/								
00	0.1	-	0.1	-	*	*	-	0.1
01	19.7	0.3	32.8	1.9	3.8	11.6	0.1	9.4
02	27.6	6.0	26.5	15.5	21.8	21.9	2.9	22.2
03	17.0	18.5	13.6	27.4	30.2	19.5	12.9	23.9
04	10.2	24.0	8.9	24.6	22.3	15.7	21.5	18.4
05	7.1	20.2	6.5	15.2	12.1	11.5	22.2	11.6
06	5.2	13.1	4.2	7.7	5.5	7.5	16.4	6.5
07	4.1	7.6	2.7	3.6	2.3	4.8	10.4	3.5
08	3.1	4.2	1.7	1.8	1.0	2.9	5.9	1.9
09	2.1	2.4	1.1	0.9	0.5	1.8	3.3	1.0
10	1.4	1.3	0.7	0.5	0.2	1.1	1.9	0.6
11	1.0	0.8	0.4	0.3	0.1	0.7	1.2	0.4
12	0.6	0.5	0.3	0.2	0.1	0.4	0.7	0.2
13	0.2	0.3	0.2	0.1	*	0.3	0.3	0.1
14	0.2	0.2	0.1	0.1	*	0.2	0.2	0.1
15	0.1	0.1	0.1	*	*	0.1	0.1	*
16	0.1	0.1	*	*	*	0.1	0.1	*
17	*	0.1	*	*	*	*	*	*
18 & above	0.1	0.2	0.1	*	*	0.1	0.1	*
Average trash	0.35	0.50	0.29	0.40	0.35	0.39	0.54	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 21. — Percentage distribution of grade, staple, mike and strength of *American Pima* cotton, by state and U.S. for classings through February 1, 2001

Grade, staple and mike	State				United States
	Arizona	California	New Mexico	Texas	
Grade					
01	16.6	15.2	0.8	2.3	13.9
02	56.3	69.9	52.3	43.8	67.2
03	23.4	12.5	41.1	45.7	15.9
04	3.0	2.1	5.6	7.4	2.6
05	0.4	0.3	0.2	0.7	0.3
06	0.2	*	-	0.1	*
07	0.1	*	-	*	*
Staple					
40 and shorter	-	-	-	*	*
42	*	*	0.1	0.9	0.1
44	34.9	17.0	23.3	38.9	19.3
46	53.3	70.0	53.4	56.3	68.3
48 and longer	11.8	13.0	23.1	3.9	12.3
Average staple	45.5	45.9	46.0	45.3	45.7
Mike					
24 and below	-	-	-	-	-
25-26	-	*	-	-	*
27-29	0.3	0.8	-	0.3	0.7
30-32	1.8	2.9	1.0	1.4	2.8
33-34	3.2	2.4	2.7	2.7	2.5
35-36	8.9	3.5	10.1	6.5	3.9
37-42	75.6	64.1	63.5	55.0	63.5
43-49	10.3	26.2	22.7	34.1	26.5
50-52	-	*	-	-	*
53 and above	-	-	-	-	-
Average mike	39	40	40	41	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	*	-	*	*
31	-	*	-	*	*
32	-	*	0.1	*	*
33	0.2	0.1	0.9	0.3	0.1
34	1.0	0.3	3.7	1.0	0.4
35	2.6	0.7	6.8	3.0	1.0
36	6.4	1.8	10.5	7.6	2.5
37	10.4	4.2	12.6	16.2	5.4
38	15.5	9.1	14.3	24.3	10.6
39	20.8	16.2	13.7	21.3	16.7
40	18.1	21.1	11.7	12.8	20.2
41	14.3	21.0	9.4	8.5	19.6
42	6.0	14.2	7.1	3.5	13.0
43	2.6	7.6	5.1	0.9	6.9
44	0.8	3.2	2.8	0.5	2.8
45 & above	0.4	0.1	-	0.2	0.1
Average strength	39.2	40.3	38.7	38.5	39.2
Extraneous matter					
Grass	0.9	0.8	2.0	0.8	0.8
Spindle Twist	0.1	0.1	0.3	*	0.1
Preparation	-	0.5	-	*	0.4

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

BALES CLASSED

Arizona	6,567
California	310,131
New Mexico	4,257
Texas	30,153
United States	351,108